

BLOCKINGMATRIX

ME / NH / VT

Revision History:

V6: Jun 2025: Rebra

V6: Mar 2012: Removed BDAN Block, pg. 3 and pg. 9

V5: Jan 2012: Removed Blocks that Fidium Fiber does not offer from description fields, added note to Block G usage.

V4: Oct 2011: Revised to update Block E description on pgs. 2, 12, 16; added Block Z and Block 1 to bottom of pg. 8 V3:

Aug 2009: Clarified use of Block K values pgs. 8; 18

V2: Apr 2009: Revised to add Block K when applicable

V1: Jul 2008: Initial Blocking Matrix

PORT SERVICE FORM (POTS)

(POTS - 1st Char position of the TOS field on the LSR Form = "1" or "2" or the 2nd Char Position of the TOS field on the LSR Form = "A", "B" or "-")

Note: A (-) in a field indicates that this type of blocking is not available for the state.

Blocking Option / LSR Value:	Description / Product:	ME	NH	VT
BLOCK = A Toll Billing A	Prevents incoming 3rd number and collect calls. Cannot be ordered with B, C	TBE A	TBE A	TBE A
BLOCK = B Toll Billing B	Prevents incoming 3rd number calls. Cannot be ordered with A, C	TBE B	TBE B	TBE B
BLOCK = C Toll Billing C	Prevents incoming collect calls. Cannot be ordered with A, B	TBE C	TBE C	TBE C
BLOCK = E Presumptive	Allows 940 in ME and NH Cannot be ordered with F, G, J, K, 1, 2	LCC	LCC	-
BLOCK = F 900, 940, 976, 7 Digit	Prevents calls to 900, 940, 976 exchanges and 7 digit intraLATA calling. Cannot be ordered with E, G, K, 1, 2	LCC	-	-
BLOCK = G InternationalDirect Distance Dialing (IDDD) Block/InternationalCall Restriction Service	Prevents the dialing of international calls (011/10XXX=011) NOTE: Only PIC/LPIC to Fidium may select Block G. For all other PIC/LPIC carriers, the individual carrier is responsible for blocking that traffic.	LCC	LCC	LCC
BLOCK = H Directory Assistance Call Completion/Connect Request Block	Prevents the automatic completion of a Directory Assistance call. Cannot be ordered with Block 9	BKDXA	BKDXA	BKDXA

PORT SERVICE FORM (POTS)

(POTS - 1st Char position of the TOS field on the LSR Form = "1" or "2" or the 2nd Char Position of the TOS field on the LSR Form = "A", "B" or "-")

Note: A (-) in a field indicates that this type of blocking is not available for the state.

Blocking Option / LSR Value:	Description / Product:	ME	NH	VT
BLOCK = K SelectiveBlocking Comprehensive	Cannot be ordered with E, F, G, J, 1, 2	LCC	LCC	LCC
BLOCK = N Casual Dialing	Prevents calls to 1010XXX	PSEBO	PSEBO	PSEBO
BLOCK = T 900, 7 Digit IntraLATA Calling	Prevents the transport and billing of calls to customer providedpre-recorded announcements or interactive programs and blocks 0+ and 1+7 digit calling. Cannot be ordered with: E, G, K, 1, 2	-	LCC	-
BLOCK = 1 No Blocking	No Block Cannot be ordered with E, F, G, J, K, O, T, X, Y, Z, 2	LCC	LCC	LCC
BLOCK = 2 7 Digit	Blocks 0+ and 1+ 7 digit calling. Cannot be ordered with E, F, G, K, T, 1	LCC	LCC	-
BLOCK = 7 3 Way Call Block	Blocks 3 way calling	3BL RCU TWC	3BL RCU TWC	3BL RCU TWC

PORT SERVICE FORM (CENTREX)

(CENTREX - 2nd Char position of the TOS field on the LSR Form = "E")

Note: A (-) in a field indicates that this type of blocking is not available for the state

Blocking Option / LSR Value:	Description / Product:	ME	NH	VT
BLOCK = A Toll Billing A	Prevents incoming 3rd number and collect calls. Cannot be ordered with B, C	TBE A	TBE A	TBE A
BLOCK = B Toll Billing B	Prevents incoming 3rd number calls. Cannot be ordered with A, C	TBE B	TBE B	TBE B
BLOCK = C Toll Billing C	Prevents incoming collect calls. Cannot be ordered with A, B	TBE C	TBE C	TBE C
BLOCK = H Connect Request Block	Prevents the automatic completion of a Directory Assistance call.	BKDXA	BKDXA	BKDXA
BLOCK = 1 Unrestricted	Outgoing is unrestricted Cannot be ordered with D, E, F, G, J, K, L, 2, 4, 7, 8, 9	LCC	LCC	LCC
BLOCK = 2 Toll Deny III	Outgoing Toll Deny allows intercom and LATA calling. Cannot be ordered with 1, 4, 7, 8, 9	LCC	LCC	LCC
BLOCK = 7 Full Restricted II Not Available for: Assumed Dial 9 CTX	Outgoing is fully restricted. Allows intercom call only. Cannot be ordered with D, E, F, G, J, K, L, 1, 2, 4, 8, 9	LCC	LCC	LCC
BLOCK = 9 900, 976	Outgoing is unrestricted, blocks Interactive. Cannot be ordered with 1, 2, 7	LCC	LCC	LCC

PORT SERVICE FORM (COIN)

(COIN - 2nd Char position of the TOS field on the LSR Form = "C")

Note: A (-) in a field indicates that this type of blocking is not available for the state

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = A Toll Billing A	Prevents incoming 3rd number and collect calls. Cannot be ordered with B, C	TBE A	TBE A	TBE A
BLOCK = B Toll Billing B	Prevents incoming 3rd number calls. Cannot be ordered with A, C	TBE B	TBE B	TBE B
BLOCK = C Toll Billing C	Prevents incoming collect calls. Cannot be ordered with A, B	TBE C	TBE C	TBE C
BLOCK = H Connect Request Block	Directory Assistance Call Completion.	BKDXA	BKDXA	BKDXA
BLOCK = I Inward Call Block	Blocks all incoming calls	-	PSEB1	-
BLOCK = 2 Coin Blocking 550, 554, 900, 940, 976	Coin blocking option	LCC	LCC	LCC

PORT SERVICE FORM (PAL)

(PAL - 2nd Char position of the TOS field on the LSR Form = "T")

Note: A (-) in a field indicates that this type of blocking is not available for the state

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = A Toll Billing A	Prevents incoming 3rd number and collect calls. Cannot be ordered with B, C	TBE A	TBE A	TBE A
BLOCK = B Toll Billing B	Prevents incoming 3rd number calls. Cannot be ordered with A, C	TBE B	TBE B	TBE B
BLOCK = C Toll Billing C	Prevents incoming collect calls. Cannot be ordered with A, B	TBE C	TBE C	TBE C
BLOCK = H Directory Assistance Call Completion/Connect Request Block	Prevents the completion of a Directory Assistance call. Cannot be ordered with K	BKDXA	BKDXA	BKDXA
BLOCK = Z 550, 554, 900, 920, 940, 976, 1+, 011, DA	PAL Option 3 Cannot be ordered with 1, 8, 9	-	-	LCC
BLOCK = 1 No Blocking	No Blocks Cannot be ordered with I, O, Z, 2, 4, 7, 8, 9	LCC	LCC	LCC
BLOCK = 2 Coin Blocking 550, 554, 900, 940, 976	Coin blocking option Cannot be ordered with 1, 7, 8, 9	LCC	LCC	LCC
BLOCK = 8 550, 554, 900, 920, 940, 976, 011	BPAL Plus IDDD Blocking. Cannot be ordered with Z, 1	LCC	LCC	LCC
BLOCK = 9 550, 554, 900, 920, 940, 976	BPAL Blocking. Cannot be ordered with Z, 1	LCC	LCC	LCC

RESALE SERVICE FORM

(First position of the REQ TYP field on the LSR Form = "E")

Note: A (-) in a field indicates that this type of blocking is not available for the state.

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = A Toll Billing A	Prevents incoming 3rd number and collect calls. Cannot be ordered with B, C	TBE A	-	-
BLOCK = B Toll Billing B	Prevents incoming 3rd number calls. Cannot be ordered with A, C	TBE B	-	-
BLOCK = C Toll Billing C	Prevents incoming collect calls. Cannot be ordered with A, B	TBE C	-	-
BLOCK = E Direct Dial Screening	Prevents all 1+ directly dialed calls except DA, 611, 800 Not available for the following Classes of Services: 1UR, LUL, 11C, LC3, 12C, LWC, 41C, LC5, NH4, NHQ, ITA, ITC, ILR, 2LR, 1ME, 1E8, 18M, IUJ, 11W, 12N, LQT, LQY, LQW, LN2, LC6, LMV, LU9, LK9, LJN, LW1, LW3. Cannot be ordered with I, J, K, 9	DH2	DH2	DH2
BLOCK = F Operator Assisted Screening	Prevents all operator calls from being billed to originating number. Cannot be ordered with I, J, K	DHL	DHL	DHL
BLOCK = G International Direct Distance Dialing (IDDD) Block/International Call Restriction Service This is only valid for PBX & ISDN BRI service.	Prevents the dialing of international calls (011/10XXX=011) NOTE: Only PIC/LPIC to Fidium may select Block G. For all other PIC/LPIC carriers, the carrier is responsible to block that traffic.	RBVXC	RBVXC	RBVXC
BLOCK = H Connect Request Block	Prevents the automatic completion of a Directory Assistance call. Cannot be ordered with L, 9	BKDXA	BKDXA	BKDXA
BLOCK = I Terminating Number Screening	Prevents all collect and third number calls throughout the continental US from being billed to a number.	-	DHP	DHP

RESALE SERVICE FORM

(First position of the REQ TYP field on the LSR Form = "E")

Note : A (-) in a field indicates that this type of blocking is not available for the state.

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = J Direct Dial & Operator Assisted Screening	Prevents all 1+ direct dialed calls, blocks all operator calls from being billed to originating number, blocks 411 DA calls. Not available for the following Classes of Services: 1UR, LUL, 11C, LC3, 12C, LWC, 41C, LC5, NH4, NHQ, ITA, ITC, 1LR, 2LR, 1ME, 1EB, 18M, IUJ, 11W, 12N, LQT, LQY, LQW, LN2, LC6, LMV, LU9, LK3, LJN, LW1, LW3. Cannot be ordered with F, K	DQA	DQA	DQA
BLOCK = K Selective Blocking Comprehensive RTVXC – RES and Single Line Business RTVX7 – 2 or more Business Lines (except Centrex or PBX) RTZXC – 2 or more Business Lines for Centrex or PBX Trunks	Blocks calls to 550, 554, 900, 920, 940 and 976. Cannot be ordered with E, F, J, 1	RTVXCRTVX7 RTZXC	RTVXCRTVX7 RTZXC	RTVXCRTVX7 RTZXC
BLOCK = L Lifeline	Blocks 1+ directly dialed calls except 800 service, 0+ calls except collect, third number and calling cards, 411 calls. Cannot be ordered with any other block	RLVXX	RLVXX	RLVXX
BLOCK = N Casual Dialing	Prevents calls to 1010XXX	PSEBO PROXC	PSEBO PROXC	PSEBO PROXC
BLOCK = Z Call Restriction Service Plus Res Only PIC/LPIC of NONE are required	Prevents dialing of toll calls, 0 calls and 900 services. Blocks: 1+, 0+/-, 700, 900, 976 Cannot be ordered with D, H, 1, 9			
BLOCK = 1 No Blocking	No Block Cannot be ordered with G, K, L, O, T, Z, 4			
BLOCK = 4 3 Way Call Block	Blocks 3 way calling	3BL RCU TWC	3BL RCU TWC	3BL RCU TWC

RESALE SERVICE FORM (COIN)

(COIN - 2nd Char position of the TOS field on the LSR Form = "C")

Note: A (-) in a field indicates that this type of blocking is not afor the state

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = A Toll Billing A	Prevents incoming 3rd number and collect calls. Cannot be ordered with B, C	TBE A	TBE A	TBE A
BLOCK = B Toll Billing B	Prevents incoming 3rd number calls. Cannot be ordered with A, C	TBE B	TBE B	TBE B
BLOCK = C Toll Billing C	Prevents incoming collect calls. Cannot be ordered with A, B	TBE C	TBE C	TBE C
BLOCK = D InternationalDirect Distance Block /' International Call Restriction Service	Prevents the dialing of international calls (011/10XXX=011)	RBVXC	RBVXC	RBVXC
BLOCK = E DirectoryAssistance Call Completion Request Block	Prevents the automatic completion of a Directory Assistance call.	BKDXA	BKDXA	BKDXA
BLOCK = I SelectiveBlocking Service	700, 900 plus 7 digit intraLATA and/or 10 digit interLATA NNX = 540, 550, 551, 970, 976	RTVXC	RTVXC	RTVXC
BLOCK = O No Block	Removes all Existing Blocking	NONE	NONE	NONE

CENTREX RESALE SERVICE FORM

(First position of the REQ TYP field on the LSR Form = "P")

Note: A (-) in a field indicates that this type of blocking is not available for the state

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = A Toll Billing A	Prevents incoming 3rd number and collect calls. Cannot be ordered with B, C	TBE A	TBE A	TBE A
BLOCK = B Toll Billing B	Prevents incoming 3rd number calls. Cannot be ordered with A, C	TBE B	TBE B	TBE B
BLOCK = C Toll Billing C	Prevents incoming collect calls. Cannot be ordered with A, B	TBE C	TBE C	TBE C
BLOCK = H Directory Assistance Call Completion/Connect Request Block	Prevents the automatic completion of a Directory Assistance call.	BKDXA	BKDXA	BKDXA
BLOCK = 1 Unrestricted	Outgoing is unrestricted Cannot be ordered with D, E, F, G, J, K, L, 2, 4, 7, 8, 9	LCC	LCC	LCC
BLOCK = 2 Toll Deny III	Outgoing Toll Deny allows intercom and LATA calling. Cannot be ordered with 1, 4, 7, 8, 9	LCC	LCC	LCC
BLOCK = 7 Full Restricted II Not Available for: Assumed Dial 9 CTX	Outgoing is fully restricted. Allows intercom call only. Cannot be ordered with D, E, F, G, J, K, L, 1, 2, 4, 8	LCC	LCC	LCC
BLOCK = 9 900, 976	Outgoing is unrestricted, blocks Interactive. Cannot be ordered with 1, 2, 7	LCC	LCC	LCC

DDPS SERVICE FORM (Wholesale Package)

(First position of the REQTP field on the LSR Form = "N" and the P field on the LSR Form = "D")

(PBX - 2nd Char position of the TOS field on the LSR Form = "J")

Note: A (-) in a field indicates that this type of blocking is not available for the state.

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = A Toll Billing A	Prevents incoming 3rd number and collect calls. Cannot be ordered with B, C	TBE A	TBE A	TBE A
BLOCK = B Toll Billing B	Prevents incoming 3rd number calls. Cannot be ordered with A, C	TBE B	TBE B	TBE B
BLOCK = C Toll Billing C	Prevents incoming collect calls. Cannot be ordered with A, B	TBE C	TBE C	TBE C
BLOCK = E Presumptive	Allows 940 in ME and NH Cannot be ordered with F, G, J, K, T, 1, 2	LCC	LCC	-
BLOCK = F 900, 940, 976, 7 Digit	Prevents calls to 900, 940, 976 exchanges and 7 digit intraLATA calling. Cannot be ordered with E, G, K, 1, 2	LCC	-	-
BLOCK = G InternationalDirect Distance Dialing (IDDD) Block/InternationalCall Restriction Service	Prevents the dialing of international calls (011/10XXX=011) NOTE: Only PIC/LPIC to Fidium may select Block G. For all other PIC/LPIC carriers, the carrier is responsible to block that traffic.	LCC	LCC	LCC
BLOCK = H Directory Assistance Call Completion/Connect Request Block	Prevents the automatic completion of a Directory Assistance call.	BKDXA	BKDXA	BKDXA
BLOCK = K SelectiveBlocking Comprehensive	Prevents calls to 550, 554, 900, 920, 940 and 976. Cannot be ordered with E, F, G, J, T, 1, 2	LCC	LCC	LCC
BLOCK = N Casual Dialing	Prevents calls to 1010XXX	PSEBO	PSEBO	PSEBO

DDPS SERVICE FORM (Wholesale Package)

(First position of the REQ TYP field on the LSR Form = "N" and the P field on the LSR Form = "D")

(PBX - 2nd Char position of the TOS field on the LSR Form = "J")

Note: A (-) in a field indicates that this type of blocking is not available for the state.

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = T 900, 7 Digit Intra-LATA Calling	Prevents the transport and billing of calls to customer provided pre-recorded announcements or interactive programs and blocks 0+ and 1+7 digit calling. Cannot be ordered with E, G, K, 1, 2	-	LCC	-
BLOCK = 1 No Blocking	No Block Cannot be ordered with E, F, G, J, K, O, T, Z, 2	LCC	LCC	LCC
BLOCK = 2 7 Digit	Blocks 0+ and 1+ 7 digit calling. Cannot be ordered with E, F, G, K, T, 1	LCC	LCC	-
BLOCK = 7 3 Way Call Block	Blocks 3 way calling	3BL RCU TWC	3BL RCU TWC	3BL RCU TWC

DDPS SERVICE FORM (RESALE)

(First position of the REQ TYP field on the LSR Form = "N" and the P field on the LSR Form = "A")

PBX - 2nd Char position of the TOS field on the LSR Form = "J")

Note: A (-) in a field indicates that this type of blocking is not available for the state.

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = A Toll Billing A	Prevents incoming 3rd number and collect calls. Cannot be ordered with B, C	TBE A	-	-
BLOCK = B Toll Billing B	Prevents incoming 3rd number calls. Cannot be ordered with A, C	TBE B	-	-
BLOCK = C Toll Billing C	Prevents incoming collect calls. Cannot be ordered with A, B	TBE C	-	-
BLOCK = E Direct Dial Screening	Prevents all 1+ directly dialed calls except DA, 611, 800 Not available for the following Classes of Services: 1UR, LUL, 11C, LC3, 12C, LWC, 41C, LC5, NH4, NHQ, ITA, ITC, ILR, 2LR, 1ME, 1E8, 18M, IUJ, 11W, 12N, LQT, LQY, LQW, LN2, LC6, LMV, LU9, LK9, LJN, LW1, LW3. Cannot be ordered with I, J, K	DH2	DH2	DH2
BLOCK = F Operator Assisted Screening	Prevents all operator calls from being billed to Originating number. Cannot be ordered with J, K	DHL	DHL	DHL
BLOCK = G International Direct Distance Dialing (IDDD) Block/International Call Restriction Service This is only valid for PBX & ISDN BRI service.	Prevents the dialing of international calls (011/10XXX=011) NOTE: Only PIC/LPIC to Fidium may select Block G. For all other PIC/LPIC carriers, the carrier is responsible to block that traffic.	RBVXC	RBVXC	RBVXC
BLOCK = H Connect Request Block	Prevents the automatic completion of a Directory Assistance call. Cannot be ordered with L, 9	BKDXA	BKDXA	BKDXA
BLOCK = I Terminating Number Screening	Prevents all collect and third number calls throughout the continental US from being billed to a number.	-	DHP	DHP

DDPS SERVICE FORM (RESALE)

(First position of the REQ TYP field on the LSR Form = "N" and the P field on the LSR Form = "A")

PBX - 2nd Char position of the TOS field on the LSR Form = "J")

Note: A (-) in a field indicates that this type of blocking is not available for the state.

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = J Direct Dial & Operator Assisted Screening	Prevents all 1+ direct dialed calls, blocks all operator calls from being billed to originating number, blocks 411 DA calls. Not available for the following Classes of Services: 1UR, LUL, 11C, LC3, 12C, LWC, 41C, LC5, NH4, NHQ, ITA, ITC, 1LR, 2LR, 1ME, 1EB, 18M, IUJ, 11W, 12N, LQT, LQY, LQW, LN2, LC6, LMV, LU9, LK3, LJN, LW1, LW3. Cannot be ordered with F, K	DQA	DQA	DQA
BLOCK = K Selective Blocking Comprehensive RTVXC - RES and Single Line Business ME, NH & VT RTVX7 & RTZXC - 2 or more Business Lines and PBX Trunks	Blocks calls to 550, 554, 900, 920, 940 and 976. Cannot be ordered with E, F, J, 1	RTVXC RTVX7 RTZXC	RTVXC RTVX7 RTZXC	RTVXC RTVX 7 RTZXC
BLOCK = L Lifeline	Blocks 1+ directly dialed calls except 800 service, 0+ calls except collect, third number and calling cards, 411 calls. Cannot be ordered with any other block	RLVXX	RLVXX	RLVXX
BLOCK = N Casual Dialing	Prevents calls to 1010XXX	PSEBO PROXC	PSEBO PROXC	PSEBO PROXC
BLOCK = 4 3 Way Call Block	Blocks 3 way calling	3BL RCU TWC	3BL RCU TWC	3BL RCU TWC

ISDN BRI/PRI SERVICE FORM (Wholesale Package)

First position of the REQ TYP field on the LSR Form = "Q" and the P field on the LSR Form = "D")

(ISDN - 2nd Char position of the TOS field on the LSR Form = "H" or "K")

Note: A (-) in a field indicates that this type of blocking is not available for the state

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = A Toll Billing A	Prevents incoming 3rd number and collect calls. Cannot be ordered with B, C	TBE A	TBE A	TBE A
BLOCK = B Toll Billing B	Prevents incoming 3rd number calls. Cannot be ordered with A, C	TBE B	TBE B	TBE B
BLOCK = C Toll Billing C	Prevents incoming collect calls. Cannot be ordered with A, B	TBE C	TBE C	TBE C
BLOCK = E Presumptive	Allows 940 in ME and NH Cannot be ordered with F, G, J, K, T, 1, 2	LCC	LCC	-
BLOCK = F 900, 940, 976, 7 Digit	Prevents calls to 900, 940, 976 exchanges and 7 digit intraLATA calling. Cannot be ordered with E, G, K, 1, 2	LCC	LCC	-
BLOCK = G International Direct Distance Dialing (IDDD) Block/International Call Restriction Service	Prevents the dialing of international calls (011/10XXX=011) NOTE: Only PIC/LPIC to Fidium may select Block G. For all other PIC/LPIC carriers, the carrier is responsible to block that traffic.	LCC	LCC	LCC

ISDN BRI/PRI SERVICE FORM (Wholesale Package)

First position of the REQ TYP field on the LSR Form = "Q" and the P field on the LSR Form = "D")

(ISDN - 2nd Char position of the TOS field on the LSR Form = "H" or "K")

Note: A (-) in a field indicates that this type of blocking is not available for the state

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = H Directory Assistance Call Completion/Connect Request Block	Prevents the automatic completion of a Directory Assistance call.	BKDXA	BKDXA	BKDXA
BLOCK = K Selective Blocking Comprehensive	Prevents calls to 550, 554, 900, 920, 940 and 976. Cannot be ordered with E, F, G, J, T, 1, 2	LCC	LCC	LCC
BLOCK = N Casual Dialing	Prevents calls to 1010XXX	PSEBO	PSEBO	PSEBO
BLOCK = T 900, 7 Digit IntraLATA Calling	Prevents the transport and billing of calls to customer provided pre-recorded announcements or interactive programs and blocks 0+ and 1+7 digit calling. Cannot be ordered with E, G, K, 1, 2	-	LCC	-
BLOCK = 1 No Blocking	No Block Cannot be ordered with E, F, G, J, K, O, T, Z, 2	LCC	LCC	LCC
BLOCK = 2 7 Digit	Blocks 0+ and 1+ 7 digit calling. Cannot be ordered with E, F, G, K, T, 1	LCC	LCC	-
BLOCK = 7 3 Way Call Block	Blocks 3 way calling	3BL RCU TWC	3BL RCU TWC	3BL RCU TWC

ISDN BRI/PRI SERVICE FORM (RESALE)

(First position of the REQ TYP field on the LSR Form = "Q" and the P field on the LSR Form = "A")

(ISDN - 2nd Character position of the TOS field on the LSR Form = "H" or "K")

Note: A (-) in a field indicates that this type of blocking is not available for the state

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = A Toll Billing A	Prevents incoming 3rd number and collect calls. Cannot be ordered with B, C	TBE A	-	-
BLOCK = B Toll Billing B	Prevents incoming 3rd number calls. Cannot be ordered with A, C	TBE B	-	-
BLOCK = C Toll Billing C	Prevents incoming collect calls. Cannot be ordered with A, B	TBE C	-	-
BLOCK = E Direct Dial Screening	Prevents all 1+ directly dialed calls except DA, 611, 800 Not available for the following Classes of Services: 1UR, LUL, 11C, LC3, 12C, LWC, 41C, LC5, NH4, NHQ, ITA, ITC, ILR, 2LR, 1ME, 1E8, 18M, IUJ, 11W, 12N, LQT, LQY, LQW, LN2, LC6, LMV, LU9, LK9, LJN, LW1, LW3. Cannot be ordered with I, J, K	DH2	DH2	DH2
BLOCK = F Operator Assisted Screening	Prevents all operator calls from being billed to originating number. Cannot be ordered with I, J, K	DHL	DHL	DHL
BLOCK = G International Direct Distance Dialing (IDDD) Block/International Call Restriction Service This is only valid for PBX & ISDN BRI service.	Prevents the dialing of international calls (011/10XXX=011) NOTE: Only PIC/LPIC to Fidium may select Block G. For all other PIC/LPIC carriers, the carrier is responsible to block that traffic.	RBVXC	RBVXC	RBVXC
BLOCK = H Connect Request Block	Prevents the automatic completion of a Directory Assistance call. Cannot be ordered with L, 9	BKDX A	BKDXA	BKDXA
BLOCK = I Terminating Number Screening	Prevents all collect and third number calls throughout the continental US from being billed to a number.	-	DHP	DHP

ISDN BRI/PRI SERVICE FORM (RESALE)

(First position of the REQ TYP field on the LSR Form = "Q" and the P field on the LSR Form = "A")

(ISDN - 2nd Character position of the TOS field on the LSR Form = "H" or "K")

Note: A (-) in a field indicates that this type of blocking is not available for the state.

Blocking Option / LSR Value	Description / Product	ME	NH	VT
BLOCK = J Direct Dial & Operator Assisted Screening	Prevents all 1+ direct dialed calls, blocks all operator calls from being billed to originating number, blocks 411 DA calls. Not available for the following Classes of Services: 1UR, LUL, 11C, LC3, 12C, LWC, 41C, LC5, NH4, NHQ, ITA, ITC, 1LR, 2LR, 1ME, 1EB, 18M, IUJ, 11W, 12N, LQT, LQY, LQW, LN2, LC6, LMV, LU9, LK3, LJN, LW1, LW3. Cannot be ordered with F, K	DQA	DQA	DQA
BLOCK = K Selective Blocking Comprehensive RTVXC – RES and Single Line Business RTVX7 – 2 or more Business Lines (except Centrex or PBX) RTZXC – 2 or more Business Lines for Centrex or PBX Trunks	Blocks calls to 550, 554, 900, 920, 940 and 976. Cannot be ordered with E, F, J, 1	RTVXC RTVX7 RTZXC	RTVXC RTVX7 RTZXC	RTVXC RTVX7 RTZXC
BLOCK = L Lifeline	Blocks 1+ directly dialed calls except 800 service, 0+ calls except collect, third number and calling cards, 411 calls. Cannot be ordered with any other block	RLVXX	RLVXX	RLVXX
BLOCK = N Casual Dialing	Prevents calls to 1010XXX	PSEBO PROXC	PSEBO PROXC	PSEBO PROXC
BLOCK = 4 3 Way Call Block	Blocks 3 way calling	3BL RC U	3BL RC U	3BL RC U

**BLOCKING Footnotes for Port Service, Resale Service,
CENTREX Resale Service, DID/DOD/PBX Service & ISDN BRI/PRI Service Forms**

- **Only one occurrence of each Valid Entry may be populated.**
- The Valid Entry "1" is mutually exclusive to all other Valid Entries.
- Valid Entries "A", "B" and "C" are mutually exclusive to each other.
- In Fidium Fiber when the LNA field on the Port Service Form = "O", "T" or "B", only valid Entries "A", "B", "C" are allowed.
- On a Post Migration request when the LCC is modified, the Blocking Activity value of "A" or "D" can be used to override the existing LCC value. When the Blocking Activity value of "E" is specified, all the Block values must be restated.
- In Fidium Centrex Port and Resale Incoming Restrictions are accomplished by the use of FIDs and may be requested in the Feature Detail Section of the LSR.
- In Fidium, the Valid Entries "A", "B", "C", "H" or "N" can be used in conjunction with other Fidium Valid Entries. LCC Valid Entries can occur zero to one time. However, please note that if an LCC Blocking option is not provided for the following Wholesale Package and Port scenarios, Fidium will default the LCC to Option 1:
 - LNA = "N", BA = "A"
 - LNA = "V", BA = "E", "N", "A"
 - LNA = "C", BA = "A", "D", "E"
 - ACT = "W", BA = "E", "N", "A" (only Wholesale Package, not Port)
- All blocking and unblocking for features will be ordered by USOC in the FEATURE field.
- Any blocking options not contained in the Blocking matrix will be ordered by USOC in the FEATURE field.
- **Spaces between values, commas or delimiters are not allowed in the BLOCK field.**